

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	455	(pictbridge\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/18 13:09
L2	26768	(358/1.1, 358/1.9, 358/1.11-1.18).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/18 13:09
L3	19	(exclud\$5 disabl\$3) with (trimming\$2 adj2 (featur \$3 function\$2 attribut\$2 parameter\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/18 13:09
L4	38	(printer\$3 same trimming \$3 near5 function\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/18 13:10
L5	17	(camera\$2 adj4 obtain\$3 with print\$3 near2 (attribut\$3 characteristic \$3 parameter\$3 setting \$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/18 13:10
L6	13	(printer\$3 with trimming \$3 adj2 function\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/18 13:10
L7	2229	(printer\$3 with camera\$2) with function\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/18 13:36

L8	20	(trimming\$4 with unavailable\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/18 13:37
L9	20	(printer\$2 same trimming \$2 adj2 function\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/18 13:37
L10	19	(exclud\$5 disabl\$3) with (trimming\$2 adj2 (featur \$3 function\$2 attribut\$2 parameter\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/18 13:37
L11	38	(printer\$3 same trimming \$3 near5 function\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/18 13:37
L12	2	("20040021901").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/18 13:37
L13	17	(camera\$2 adj4 obtain\$3 with print\$3 near2 (attribut\$3 characteristic \$3 parameter\$3 setting \$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/18 13:37
L14	13	(printer\$3 with trimming \$3 adj2 function\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/18 13:37
L15	1275	(obtain\$5 retriev\$5 determin\$5) with (printer \$2 imag\$3 adj2 form\$3 adj2 apparatus\$2 copy adj2 machine\$2) adj2 (featur\$3 character\$5 parameter\$2 attribut\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/18 13:37

L16	198	(enabl\$5 select\$5) same trimming\$2 adj2 function\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/18 13:37
L17	1	(printer\$3 with trimming\$3 same edgeless\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/18 13:37
L18	5	(printer\$2 image\$2 adj2 form\$3 adj2 apparatus\$3) adj2 (characteristic\$3 attribute\$2 setting\$3 parameter\$2) with unavailable\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/18 13:37
L19	2	("5996893").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/18 13:37
L20	13	(printer\$3 with trimming\$3 adj2 function\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/18 13:37
L22	228	(camera\$2 with obtain\$3 with print\$3 with (attribut\$3 characteristic\$3 parameter\$3 setting\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/18 13:39
L23	11	(camera\$2 adj4 obtain\$3 with print\$3 near2 (attribut\$3 characteristic\$3 parameter\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/18 13:39
L24	2229	(printer\$3 with camera\$2) with function\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/18 13:39

L25	28	trimming\$2 adj2 (attribut\$2 function\$2 feature\$2 parameter\$2 setting\$2) same printer\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/18 13:40
L26	0	(printer\$2 adj2 driver\$2 with printer\$2 adj2 characteristic\$5 with available\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/18 13:40
L27	192	(printer\$2 image\$2 adj2 form\$3 adj2 apparatus\$3) adj2 (characteristic\$3 attribute\$2 setting\$3 parameter\$2) with available\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/18 13:40
L28	118	(trimming\$4 with image\$2) with camera\$3 with print\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/18 13:40
L29	11	(camera\$2 adj4 obtain\$3 with print\$3 near2 (attribut\$3 characteristic\$3 parameter\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/18 13:40
L30	1275	(obtain\$5 retriev\$5 determin\$5) with (printer\$2 imag\$3 adj2 form\$3 adj2 apparatus\$2 copy adj2 machine\$2) adj2 (featur\$3 character\$5 parameter\$2 attribut\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/18 13:40
L31	20	(trimming\$4 with unavailable\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/18 13:40
L32	11	(camera\$2 adj4 obtain\$3 with print\$3 near2 (attribut\$3 characteristic\$3 parameter\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/18 13:40

L33	5	(printer\$2 image\$2 adj2 form\$3 adj2 apparatus\$3) adj2 (characteristic\$3 attribute\$2 setting\$3 parameter\$2) with unavailable\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/18 13:40
L34	1	(obtain\$5 retriev\$5 determin\$5) with (printer\$2 imag\$3 adj2 form\$3 adj2 apparatus\$2 copy adj2 machine\$2) adj2 (featur\$3 character\$5 parameter\$2 attribut\$3) with (trim\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/18 13:40
L35	13	(printer\$2 with trimming\$2 adj2 function\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/18 13:42
L36	7	(enabl\$5 select\$5) same trimming\$2 adj2 (attribut\$2 function\$2 feature\$2 parameter\$2 setting\$2) same printer\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/18 13:42
L37	20	(printer\$2 same trimming\$2 adj2 function\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/18 13:42
L38	28	trimming\$2 adj2 (attribut\$2 function\$2 feature\$2 parameter\$2 setting\$2) same printer\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/18 13:47
L39	18	(user adj2 interface same trimming\$2) with select\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/18 13:47
L40	172	(user adj2 interface same trimming\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/18 13:47

L41	172	(user adj2 interface same trimming\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/18 13:47
L42	7	(printer\$2 image\$2 adj2 form\$3 adj2 apparatus\$3) adj2 (characteristic\$3 attribute\$2 setting\$3 parameter\$2) with exclud \$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/18 13:47
L43	91	(pictbridge\$3) with capabilit\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/18 13:47
L44	0	(pictbridge\$3) with trim\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/18 13:47
L45	1	(pictbridge\$3) same trim \$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/18 13:47
L46	73	(pictbridge\$3) and trim\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/18 13:47
L47	455	(pictbridge\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/18 13:47
L48	0	L47 and @ad< "20020805"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/18 13:47

L49	15	(pict near1 bridge\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/18 13:47
L50	2	jp-2001268485-\$.did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/18 13:47
L51	2	("20010022624").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/18 13:47
L52	2	jp-2002211082-\$.did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/18 13:47
L53	2	("20020093682").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/18 13:47
L54	2	jp-09026867-\$.did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/18 13:47
L55	2	jp-11085422-\$.did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/18 13:47
L56	2	jp-2000137593-\$.did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/18 13:47

L57	72	(camera\$2 same trimming near2 function\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/18 13:47
L58	72	(camera\$2 same trimming near2 functions)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/18 13:47
L59	1476	(WATANABE near2 HITOSHI).in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/18 14:14
L60	11	(trimming\$3 same function \$3 same print\$3).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/18 14:35
L61	1	(trimming\$3 same function \$3 same print\$3 same interface\$3).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/18 14:42
L62	4	(printer\$2 same camera\$2 same trimming\$3).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/18 14:43
S93	428	(pictbridge\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/05 22:59

8/ 18/ 09 4:05:15 PM

C:\ Documents and Settings\ tpham12\ My Documents\ EAST\ Workspaces\ East Searches
\ 10629709-RCE3-allowance.wsp